

**RHODE ISLAND  
STATE BUILDING CODE**

**SBC-19 State Fuel Gas Code**

[Replaces SBC-19-2010](#)

**Effective July 1, 2013**



**STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS**

**Department of Administration  
BUILDING CODE STANDARDS COMMITTEE  
One Capitol Hill  
Providence, RI 02908-5859  
(401) 222-3033  
FAX NO (401)-222-2599  
[www.ribcc.ri.gov](http://www.ribcc.ri.gov)**

Regulation SBC-19  
State Fuel Gas Code

The Building Code Standards Committee, in accordance with the rule making authority of Title 23, Chapter 23-27.3, Section 109.1, paragraphs a through c inclusive, has formally adopted and promulgated as the Rhode Island State Building Code, the provisions of the International Fuel Gas Code, 2012 edition, as published by the International Code Council, Inc. (I.C.C.), together with amendments thereto hereinafter set forth to the articles and sections of this code:

The provisions of Title 23, Chapter 27.3 of the General Laws of Rhode Island establishing administration and enforcement are hereby incorporated by reference. Regulatory Administration Chapter 1 immediately follows and is supplemental to the General Laws.

Editorial Note: Code users please note:

When purchasing or using the International Fuel Gas 2012 code, please take note of the particular printing edition. Errata to that printing edition is available on-line directly at no charge at [www.iccsafe.org/cs/codes/pages/errata.aspx](http://www.iccsafe.org/cs/codes/pages/errata.aspx) or call the office of the State Building Code Commissioner at 401-222-1129 for further information.

Printed copies of the administrative and enforcement provisions of Title 23, Chapter 27.3 are available at the Office of the State Building Code Commission or on-line at <http://www.rilin.state.ri.us/Statutes/TITLE23/23-27.3/INDEX.HTM>.

The State Fuel Gas Code, 2013 Edition, is protected by the copyright that has been issued to the ICC. As a result, the State Building Code is not available in complete form to the public in an electronic format. The State Fuel Gas Code 2013 edition that is referred to within is contained in a printed volume and is also in an electronic format that have been published by the ICC under an exclusive license.

The Office of the State Building Code Commissioner has purchased volumes of these codes and they shall be distributed to Rhode Island cities and towns during the month of June 2013 so that local officials will have access to the code prior to the implementation of these rules on July 1, 2013

In order to assure public access to this code the Office of the State Building Code Commissioner shall provide a copy of this code to the Rhode Island State Library, which is located on the second floor of the State House. In addition, all codes may be viewed during business hours at the Department of Administration's Library which is located on the fourth floor of the William E. Powers Building, One Capitol Hill, Providence.

The Legislative Regulation Committee approved adoption of this code on July 1, 2013

By:

John P. Leyden

Executive Secretary

Rhode Island Building Code Standards Committee

**STATE OF RHODE ISLAND  
BUILDING CODE STANDARDS COMMITTEE**

**CHAIRMAN**

William J. Nash, Jr.  
Building Official

**VICE CHAIRMAN**

Bernard J. Bernard, III  
Electrical Inspector

**EXECUTIVE COMMITTEE**

Michael A. Newman  
Master Plumber  
James Fink  
Electrical Engineer  
Doris Aschman  
Public Health Official

Michael Daley  
Builders Trades Council  
Peter Scorpio, III  
Building Official

James R. Carlson, RA  
Public Member

G. Thomas Chabot  
Electrical Contractor

Randy Collins, Jr., RLA  
Landscape Architect

Robert E. DeBlois, Jr.  
Builder

Paul DePace, PE  
Representative for the Disabled

Robert M. Stillings  
Architect

Wayne Pimental  
Minimum Housing Inspector

Scott Caron  
Fire Official  
Stephen C. Turner, PE  
Public Member  
Dana Newbrook  
Architect

Fred Sarno  
Building Official

David F. Palmisciano  
Building Trades Council

Gordon W. Preiss, PE  
Mechanical Engineer

Craig Sutton  
Builder

Vacant  
Representative for the Disabled

John P. Leyden, CBO  
State Building Commissioner  
Executive Secretary

Thomas Coffey  
Legal Counsel

## STATE BUILDING CODE REGULATIONS - 2013

The following list includes all regulations promulgated by the State Building Code Standards Committee. All regulations are available for a fee at the State Building Commission.

|     |  |             |
|-----|--|-------------|
| 1.  | Building Code  | SBC-1-2013  |
| 2.. | One and Two Family Dwelling Code   | SBC-2-2013  |
| 3.  | Plumbing Code  | SBC-3-2013  |
| 4.  | Mechanical Code  | SBC-4-2013  |
| 5.  | Electrical Code  | SBC-5-2011  |
| 6.  | Property Maintenance Code  | SBC-6-2013  |
| 7.  | Reserved   |             |
| 8.  | Energy Conservation Code   | SBC-8-2013  |
| 9   | Enforcement and Implementation Procedures for Projects Under the Jurisdiction of The State of Rhode Island | SBC-9       |
| 10. | Code Interpretations   | SBC-10      |
| 11. | Certification of Building Officials, Building, Electrical, Plumbing and Mechanical Inspectors              | SBC-11-2010 |
| 12. | New Materials and Methods of Construction  | SBC-12      |
| 13. | State Building Code for Existing Schools   | SBC-13      |
| 14. | Reserved   |             |
| 15. | Reserved   |             |
| 16. | Reserved   |             |
| 17. | Public Buildings Accessibility Meeting Standards   | SBC-17      |
| 18. | Native Lumber  | SBC-18      |
| 19. | Fuel Gas Code  | SBC-19-2013 |
| 20. | The State of Rhode Island Rehabilitation Building and Fire Code for Existing Buildings and Structures      | SRC-1-2002  |

Format: These code changes follow numbering sequence and topics of the International Fuel Gas Code 2012 (first printing). All Provisions of IFGC 2012 are retained unless indicated as deleted or revised. Published errata is available from the ICC website dependent on this printing issue number and date.

## Chapter 1

### ADMINISTRATION

The following Rhode Island amendments are made to the sections of Chapter 1:

Delete IFG Code section 101.1 Title, and substitute the following:

**101.1 Title.** These regulations shall be known as The Rhode Island State Fuel Gas Code Regulation SBC-19-2013 hereafter referred to as "this code"

Add the following new section 101.1.1 referenced codes.

**101.1.1 Referenced Codes.** The other codes referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference.

**1. Electrical.** The provisions of Rhode Island State Electrical Code SBC-5-2011 shall apply wherever referenced in this code as the ICC Electrical Code, and shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings, and appurtenances thereto.

**2. Mechanical.** The provisions of the Rhode Island State Mechanical Code SBC-4-2013 shall apply wherever referenced in this code as the International Mechanical Code and shall apply to the installation, alterations, repairs and replacement of mechanical systems, including equipment, appliances, fixtures, fittings and/or appurtenances, including ventilating, heating, cooling, air-conditioning and refrigeration systems, incinerators and other energy-related systems.

**3. Plumbing.** The provisions of Rhode Island State Plumbing Code SBC-3-2013 shall apply wherever referenced in this code as the International Plumbing Code, and shall apply to the installation, alteration, repair and replacement of plumbing systems, including equipment, appliances, fixtures, fittings and appurtenances, and where connected to a water or sewage system and all aspects of a medical gas system.

**4. Property Maintenance.** The provisions of the Rhode Island State Property Maintenance Code SBC-6-2013 Provides requirements for continued use and maintenance buildings and property, and of related plumbing, mechanical, electrical and fire protection systems in existing residential and non-residential structures.

5. **Fire Prevention Code.** Wherever and whenever provisions of the International Fire Code 2012 editions are referenced, the appropriate Rhode Island Fire Safety Code requirements shall apply.
6. **Energy Code.** The provisions of the Rhode Island State Energy Conservation Code SBC-8-2013 shall apply wherever referenced in this code as International Energy Conservation Code, and shall apply to all matters governing the design, alteration and construction of buildings and systems for energy efficiency.
7. **Building Code.** The provisions of the Rhode Island State Building Code SBC-1-2013 shall apply wherever referenced in this code as the International Building Code.
8. **Residential Code.** The provisions of the Rhode Island One and Two Family Dwelling Code SBC-2-2013 shall apply wherever referenced in this code as the International Residential Code.
9. **Existing Building Code.** The provisions of the State Building Codes SBC-1-2013 in conjunction with the State Rehabilitation Code SRC-1 and the Rhode Island Fire Safety Code shall apply wherever referenced in this code as the International Existing Building Code.

Any and all such references to the various International Code Council family of code shall be substituted for the appropriate state code as indicated above.

#### **101.2.4 Systems and equipment outside the scope.**

Delete exception #9 and substitute the following:

9. Liquefied Natural Gas (LNG) installations shall be installed in accordance with this code and the Rhode Island Fire Safety Code.

Delete IFG Code section 101.3 and substitute the following:

**101.3 Appendices.** Provisions in the appendices are permitted to be used for determining compliance to this code.

Delete IFG Code sections 103, through 106 and 108 through 109.

## **CHAPTER 3**

### **Section 303 Appliance Location**

#### **303.3 Add the following new exception:**

(6) Gas fired appliances may be installed in loft or open efficiency type apartments when there is a sleeping area not a sleeping room. The installation of appliances must comply with section 304.5 for combustion air required volume and the manufacturers' installation instructions.

#### **310.1.1 Delete and Substitute the following:**

**310.1.1 CSST** CSST gas piping systems shall be bonded to the electrical service grounding electrode system. The bonding jumper shall connect to a metallic pipe or fitting between the point of delivery and the first downstream CSST fitting. The bonding jumper shall be copper and not smaller than 6AWG. The bonding jumper shall not exceed 40' in length. CSST system with a conductive jacket deemed to be equivalent to a direct bonded CSST system by an approved listing agency shall only be required to be bonded in accordance with section Residential Code 2411.1 or Fuel Gas Code 310.1. The installation of the bonding jumper shall be by an electrician with an electrical permit and inspected by the electrical inspector.

### **Section 311 Temperature Control**

**311.1 Space-heating systems.** Interior spaces intended for human occupancy shall be provided with active or passive space-heating systems capable of maintaining a minimum indoor temperature of 68°F (20°C) at a point 3 feet (914 mm) above floor on the design heating day. The installation of portable space heaters shall not be used to achieve compliance with this section.

**Exception:** Interior spaces where the primary purpose is not associated with human comfort.

## **Chapter 4**

### **401.2 Delete 401.2 and substitute the following:**

#### **401.2 Liquefied Petroleum Gas & Storage.**

The storage system for liquefied petroleum gas shall be designed and installed in accordance with NFPA 58 and the following.

##### **401.2.1**

For LNG facilities exceeding 1,000 gallons equivalent water capacity structural engineering design by a licensed RI professional engineer shall include explicit analyses of seismic, storm, and hurricane impacts including combined wind and storm surge effects on tank, facility, dock and other associated structure and underlying foundation, pilings, piers, footings or other associated supports or ground connections.

##### **401.2.2**

Spill leak, escape and other failure analyses shall include mapping of impacts on surrounding existing structures and build able parcels to the distance determined by the engineer of record to delimit potential flame or heat impacts that could potentially impact tenability and structural stability of structures, whether adjacent to or beyond the LNG facility site. Such impacts shall be with respect to worse-case spill or release scenarios, not less than 14,000 cubic meters of LNG.

##### **401.2.3**

Site-specific analyses shall be performed of potential adverse impacts within the distance determined by the engineer of record to delimit potential flame or heat impacts on tenability or stability of all facilities that house occupants of reduced independent mobility. Such occupancies include but are not limited to elderly housing, healthcare facilities, schools, and daycare facilities.

##### **401.2.4**

The RI Building Code Board of Appeals shall review each application for such an installation where it or its associated docking facilities are located on state land, coastal land, state waters, or fill areas formerly part of state waters.

**SECTION 404 (IFGC)**  
**PIPING SYSTEM INSTALLATION**

**404.1 Installation of materials.** All materials used shall be installed in strict accordance with the standards under which the materials are accepted and approved. In the absence of such installation procedures, the manufacturer's instructions shall be followed. Where the requirements of referenced standards or manufacturer's instructions do not conform to minimum provisions of this code, the provisions of this code shall apply.

**404.2 CSST.** CSST piping systems shall be installed in accordance with the terms of their approval, the conditions of listing, the manufacturer's instructions and this code. The installation of the bonding jumper shall be by an electrician with an electrical permit and inspected by the electrical inspector.

## Chapter 6

### **M614.6.6 Delete and substitute the following:**

**M614.6.6 Length identification.** The maximum length of dryer duct may exceed 35' when a permanent placard, measuring a minimum 5" wide, 3" high, and 1/8" thick, and constructed of either wood, metal, or rigid plastic, and bearing raised or embossed lettering stating the following: **“WARNING: THE EFFECTIVE LENGTH OF THIS DRYER DUCT IS xxx FEET. ANY DRYER CONNECTED TO THIS EXHAUST DUCT MUST BE RATED TO USE AN EXHAUST DUCT OF THIS LENGTH, PER THE MANUFACTURERS SPECIFATIONS; SERVERE RISK OF FIRE MAY RESULT FOR NONCOMPLIANCE WITH THIS NOTICE.”**

The provisions of M102.4 shall be used in establishing the effective length of the ductwork installed and noted on the placard. The placard shall be permanently attached to the wall or floor within 6" of the terminus of the duct.